UROVO RT30 Handheld Intelligent Terminal

Specifications



UROVO Technology Co., Ltd.

Specifications

Performance	Model	UROVO RT30 Handheld Intelligent Terminal
	O S.	Android 14.0
	Processor	Octa-core, 2.0 GHz
	Memory	4GB RAM , 64GB ROM
	Extended memory	Micro SD card, Up to 2 TB
Basic specification	Dimension	185.1*66.8*31.7mm
	Weight	248g(with battery)
	Display	3.5 inch 640*960 pixel(Optional 320*480)
	Touch Screen	Multi-touch, works with gloves, wet fingers operation and Anti-fingerprint
	Main battery	3.85V 4,900mAh, Hot Swap
	Charging time	5V2A, (Optional 15w)
	Buttons	Multi-function crystal keys ×26: Front scan key×1，Side-scan buttons×2(left & right)，Power×1
	Camera	Top camera: 13M pixel
	Audio	1 microphone, 1 speaker
	Interface	USB 2.0, Pogo pin
	Card Slot	2*Nano SIM（1*Nano SIM，1*Micro SD card）
NFC		ISO 14443 Type A and B; FeliCa and ISO 15693 cards; Card Emulation via Host;
Communication	Bluetooth	BT5.0 + BR/EDR + BLE
	WWAN	4G/3G/2G TD-LTE(B34/B38/B39/B40/B41) FDD-LTE(B1/B3/B5/B7/B8/B20) WCDMA(B1/B5/B8) GSM/EDGE/GPRS(850/900/1800/1900)
	Wi-Fi	IEEE 802.11a/b/g/n/ac/ah/d/h/i/k/r/v/w protocols (Dual-Band 2.4GHz/5GHz Wi-Fi)
	GNSS	Optional, GPS、A-GPS、BeiDou、GLONASS 、Galileo
Environment	Operating Temperature	-20℃~+60℃
	Storage temperature	-40℃~+70℃
	Humidity	5% ~ 95% RH （non-condensing）

	Drop Specification	1.5m flat concrete, 1.8m flat concrete(With Protective Case),
	Tumble Specification	1000 times 0.5m
	Sealing	IP65
	ESD	±15kV air，±8kV direct