UROVO i5300L

Smart POS Payment Terminal

Specifications



UROVO PTE. LIMITED

Specifications

O.S.	Android 13
Processor	Quad-core A53 2.0GHz
Memory	RAM: 2GB ROM: 16GB
Main Display	5” Display 480*854, (720*1280 optional)
Customer Display	128*32 mono display (optional) 2'' top color non-touch screen (optional) When Customer Display (top screen) is selected, Top Camera is not available
Camera	Front Camera: Optional (0.3MP FF, not included by default) Top Camera: 0.3MP FF (not included when Customer Display is selected) Rear Camera: Optional (5MP AF, not included by default; included by default when Customer Display is selected)
Scanning	Camera decoding, supporting 1D/ 2D barcode
Button	PWR button, Vol+/- button
Network Connection	4G/ 3G/ 2G Bluetooth 5.0 Wi-Fi：IEEE 802.11 a/b/g/n/ac 2.4GHz/5GHz
Payment	MSR IC Card Contactless Card
Thermal Printer	Media roll size: 40mm Media width: 58mm printing paper Resolution: 203dpi (8dot/mm) Print speed: 60~70mm/s Support 1D/2D bar code printing
Audio	Speaker
Positioning	GPS, A-GPS, BEIDOU, GLONASS, Galileo
Slot	Slot option 1 (default): 1 SIM1+1 Nano SIM2+1 SAM1+1 SAM2+1 MicroSD
	Slot option 2 (optional): 1 eSIM +1 Nano SIM2+1 SAM1+1 SAM2+1 MicroSD
Interface	1 x Type-C USB OTG 6 Pins Pogopin (optional)
Notification LED	Contactless Notification LED, Blue/ Yellow/ Green/ Red Power LED
Battery	3.6V/5200mAh
Adaptor	Input: 100~240V AC 50~60Hz Output: 5V/2A
Environment	Operating: 0℃~50℃ Storage: -20℃～70℃ Humidity: 5%RH～95%RH (No condensation)

Physical	L x W x H (mm): 174*81*60mm (32.9mm thinnest) Weight (g): 416g
Certification	PCI PTS 6.x, EMV L1&L2, EMV Contactless L1, MasterCard Contactless, Visa PayWave etc.